

|   |    |
|---|----|
| Comparison of body composition from the Bod Pod S/T with the Bod Pod, hydrostatic weighing, and dual-energy X-ray absorptiometry in young adults<br>J.T. KING, J. HALL, J.R. GRIFFITH, D.R. MULLINEAUX and J.L. CLASEY              | 41 |
| Modeling bone loss in Egyptian patients with thalassemia major<br>E.I. MOHAMED, G.N. MAHMOUD, G.I. KHALIL and S.J. WALLNER  | 49 |
| Estimating lean and lipid mass in the gracile mouse opossum using total body electrical conductivity (TOBEC)<br>L.C. DUARTE, D.C. BRIANI and A.P. CRUZ-NETO   | 57 |
| Validation of quantitative magnetic resonance for the determination of body composition of mice<br>A.S. JONES, M.S. JOHNSON and T.R. NAGY   | 67 |
| Intermuscular and subcutaneous adipose tissue distributions differ in HIV+ versus HIV- men and women<br>G.B. DODELL, D.P. KOTLER, E.S. ENGELSON, G. IONESCU, Y. GIMELSHTEYN,<br>A. POLLACK, D. GALLAGHER, L. BERGLUND and J.B. ALBU | 73 |
| <i>Letter:</i><br>FRAX is flawed<br>E. COLT and F. JAVED  | 79 |